KELSEY'S Rhododendrons, Azaleas

and Other Hardy

Native American Plants

Grown in the Carolina Mountains

HIGHLANDS NURSERY, Saginaw, N. C.

at 3,800 feet elevation

and

BOXFORD NURSERY, Boxford, Mass.

Information

HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk steamship lines, deliveries to northern and eastern points are quick and rates are low. See Boxford Nursery List also.

SHIPMENTS OF "COLLECTED" RHODODEN-DRON MAXIMUM and KALMIAS are from my special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South, from high altitudes. "COLLECTED" RHODODENDRON CATAWBI-ENSE comes only from the South.

MY NURSERIES ARE UNIQUE, being the first to grow Native American Ornamentals, and having now the only large and complete stock of Hardy American Plants in existence.

SHIPPING BEGINS IN SEPTEMBER, when I send out large Rhododendrons, Kalmias and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November; and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to me, when I use my best judgment, but assume no risk.

EXPORT SHIPMENTS reach the most remote countries in perfect condition; I have exported for over twenty-five years, and know how to pack.

DESCRIPTIVE; [CATALOGS, beautifully illustrated, are mailed on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given. Send for "How to Grow Rhododendrons Successfully." Always address

HAPI.AN P. KELSEY, Owner SALEM, MASS., U. S. A.

Gift of

Earl Blough


November 1957



Views of Grandfather Mountain, 5,978 feet elevation in the Carolina Mountains, at the base of which is located Highlands Nursery, 3,800 feet elevation.



Grandfather Mountain is the home of the Rarest Hardy American Rhododendrons and Azaleas, the beautiful Carolina Hemlock, Tsuga caroliniana and other rare plants.



This region is the great cool Summer Resort for thousands from the "Piedmont" sections of the South.

CATALOG OF HIGHLANDS NURSERY

At my Highland Nursery, Pineola (Saginaw P. O.), North Carolina, 3,800 ft. elevation, on the crest of the Alleghany Mountains, one may see Rhododendrons, Azaleas, Leucothoës, Kalmias and Andromedas growing in all sizes by tens of thousands in single species, and nowhere else can be found such a collection of rare American plants of unquestionable hardiness—the best for American gardens.

The Carolina Mountains is the native home of the most beautiful Broad-leaved Evergreens and Ericaccous Shrubs. Highlands Nursery not only ships direct to customers, but is a great propagating plant, supplying material for my Boxford Nursery.

DECIDUOUS AND EVERGREEN Trees, Shrubs and Woody Vines

OTE.—All plants are transplanted and nursery-grown, unless plainly marked otherwise.

This is a catalog of nursery-grown plants growing at my Highlands Nursery, Saginaw, North Carolina. For catalog of Boxford Nursery, see pages following page 10. Each 10

	acn	10	100	1 000
*Abies concolor. 6 to 12 in	0 20	\$1 25	\$10 00	
*fraseri. 6 to 12 in	15	75	6 00	\$10.00
TIPASETI. U UU 12 III	20	1 25	10 00	90 00
1 to 1½ ft		2 50	22 50	200 00
1½ to 2 ft	40			200 00
2 to 3 ft	85	5 00	40 00	
Acer pennsylvanicum. 1 to 2 ft	20	1 00	8 50	
2 to 3 ft	25	1 50	12 50	
	35	2 00		
3 to 4 ft		25	2 00	15 00
saccharum. Sugar Maple. 6 to 12 in.	10		4 00	
1 to 2 ft	10	50		25 00
2 to 3 ft	10	60	5 00	40 00
3 to 4 ft	15	75	6 00	
spicatum. 1 to 2 ft	20	1 00	8 50	
2 to 3 ft	35	2 00		
2 10 0 16	60	3 50	30 00	
3 to 4 ft		4 00	00 00	
Adelia acuminata. 2 to 3 ft	75		4 00	
Æsculus octandra. 6 to 12 in., seedlings	10	50	4 00	
1 to 2 ft	15	75		
Alnus alnobetula. 2 to 4 ft., clumps	50	3 00	25 00	
rugosa. 1 to 2 ft	25	1 50		
Amelanchier botryapium. 6 to 12 in.	15	75	6 00	
Ameianchier botryapium. 0 to 12 in.	20	1 00	8 50	
1 to 2 ft		1 25	10 00	
2 to 3 ft	20			
3 to 4 ft	35	2 00	17 50	
4 to 6 ft	50	3 00	25 00	
Ampelopsis quinquefolia, var. engel-				
manni. Light	15	75	6 00	50 00
	20	1 25	10 00	
Strong	20	_ 20	00	
*Andromeda (Pieris) floribunda.				
Mountain Fetter Bush.	1 50	10.00	00.00	
6 to 12 in., clumps	1 50	10 00	90 00	
1 to 1½ ft., clumps	2 00	15 00	125 00	
Aralia spinosa. 1 to 3 ft	25	1 50	12 50	
Aronia arbutifolia. 6 to 12 in	20	1 25	10 00	
1 to 2 ft	30	1 75	15 00	
	40	2 50	22 50	
2 to 3 ft		4 00	37 50	
3 to 4 ft	75	4 00	31 30	
erythrocarpa, Dwarf variety.				
1 to 2 ft	35	2 00	17 50	
2 to 3 ft	50	3 00	25 00	
nigra. Shining black fruit.	_			
nigra. Dinning black it till.	20	1 25	10 00	90 00
1 to 2 ft	35	2 00	17 50	50 00
2 to 3 ft		3 50	32 50	
3 to 4 ft	60	3 30	32 30	

HARDY AMERICAN AZALEAS

Each	10	100	1,000
Azalea arborescens. Fragrant White			
Azalea, 6 to 12\$0 35	5 \$2 00	\$17 50	
1 to 1½ ft	3 50	32 50	
1 1/2 to 2 ft 75	5 5 00	40 00	
6 to 12 in., clumps 1 0	0 6 00	50 00	
1 to 1 ½ ft., clumps 1 2	5 8 50	75 00	
1½ to 2 ft., clumps 2 0	0 15 00	125 00	
2 to 3 ft., clumps 4 00	30 00	260 00	
calendulacea (lutea). Great Flame		40 *0	2102 00
Azalea. 6 to 12 in 25		12 50	
1 to 1½ ft 4		22 50	200 00
1 1/2 to 2 ft 50	0 3 00	25 00	225 00
2 to 3 ft 1 0	0 6 00	50 00	
1 to 1½ ft., clumps 7	5 4 00	37 50	300 00
1 ½ to 2 ft., clumps 1 0	0 6 50	62 50	
2 to 3 ft., clumps 1 50	0 10 00	90 00	
	TH A S	TAR (*)	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of HIGHLANDS NURSERY

TREES, SHRUBS AND V	INES.	contin	wed	
Azalea nudifiora. Pinxter Flower.	Each	10	100	1,000
6 to 12 in	\$0 25 40	\$1 50 2 50	\$12 50 22 50	
1 to $1\frac{1}{2}$ ft 6 to 12 in., clumps 1 to $1\frac{1}{2}$ ft., clumps	50 75	3 00 4 00	27 50 37 50	
vaseyi. Southern Azalea. 6 to 12 in 1 to 1½ ft., viscosa. 6 to 12 in	40 60	$\frac{2}{3} \frac{50}{50}$	$\frac{22}{32} \frac{50}{50}$	
viscosa. 6 to 12 in	$\frac{25}{35}$	$\frac{1}{2} \frac{50}{00}$	$\frac{12}{17} \frac{50}{50}$	$\frac{100}{150} \frac{00}{00}$
1 to 1½ ft	60	3 50	32 50	100 00
1½ to 2 ft., clumps	1 00	4 00 6 00	37 50 50 00	
1 to 1½ ft., clumps. 1½ to 2 ft., clumps. 1½ to 2 ft., clumps. Benzoin benzoin. 2 to 3 ft. Berberis repens. 3 to 6 in.	35 75	$\frac{2}{4} \frac{00}{00}$	17 50 37 50	
Betula lenta. 4 to 6 ft	35 50	$\frac{2}{3} \frac{00}{00}$	17 50 27 50	
8 to 10 ft	85	5 00	21 30	
lutea. 8 to 10 ft*Bignonia crucigera. 6 to 12 in	$\frac{85}{20}$	$\frac{5}{1} \frac{00}{00}$	8 50	75 00
Butneria (Calycanthus) fertilis.	20	1 00	8 50	
2 to 3 ft., clumps	40 15	2 50		
2 to 3 ft	20	$\begin{array}{c} 75 \\ 1 \ 25 \end{array}$	6 00 10 00	
3 to 4 ft. Carpinus caroliniana. 2 to 3 ft	$\frac{40}{20}$	$\frac{2}{1} \frac{50}{00}$	8 50	
3 to 4 ft	$\frac{25}{35}$	$\frac{1}{2} \frac{50}{00}$	12 50 18 00	
6 to 8 ft	50	3 00	27 50	
Castanea pumila. Chinkapin. 6 to 12 in. 1 to 2 ft	$\frac{25}{35}$	$\frac{1}{2} \frac{50}{00}$	$\frac{12}{17} \frac{50}{50}$	
2 to 3 ft	50	3 00	25 00	
1 to 2 ft	$\frac{20}{25}$	1 00	8 50	
scandens, 6 to 12 in	20	$\begin{array}{ccc} 1 & 50 \\ 1 & 00 \end{array}$	12 50 8 50	
1 to 2 ft	$\frac{25}{35}$	$\frac{1}{2} \frac{50}{00}$	$\frac{12}{17} \frac{50}{50}$	
3 to 4 ft	40 25	2 50		
3 to 4 ft. Chamædaphne calyculata. 6 to 12 in. 1 to 1½ ft. Clethra acuminata. Southern Pepper Bush 1 to 2 ft.	35	$\frac{1}{2} \frac{50}{00}$	$\frac{12}{17} \frac{50}{50}$	
Bush 1 to 2 ft	20	1 00	8 50	
2 to 3 ft	$\frac{25}{75}$	1 50 4 00	12 50 37 50	
6 to 8 ft	1 25	7 50	37 30	
alnifolia. Sweet Pepper Bush. 6 to 12 in.	20	1 00	8 50	
1 to 2 ft	35 75	$\frac{2}{4} \frac{00}{00}$	$\frac{17}{37} \frac{50}{50}$	
Comptonia peregrina. Sweet Fern. 6 to 12 in	20			
1 to 2 ft Cornus amomum. 3 to 4 ft	25	$\frac{1}{1} \frac{00}{50}$	$\frac{8}{12} \frac{50}{50}$	
Corylus americana. 6 to 12 m	$\frac{20}{15}$	$\frac{1}{75}$	8 50 6 00	
1 to 2 ft	25 35	1 50 2 00	12 50	
1 to 2 ft., clumps	40	2 50	$\frac{17}{22} \frac{50}{50}$	
2 to 3 ft., clumps	60 85	3 50 5 00	32 50 40 00	
rostrata. 6 to 12 in	15 20	75 1 00	6 00 8 50	50 00 75 00
2 to 3 ft	20 25	1 25	10 00	
2 to 3 ft., clumps Cratægus coccinea. 2 to 3 ft	40	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \end{array}$	$\frac{12}{22} \frac{50}{50}$	100 00
punctata. 6 to 12 m	30 15	1 75 75	15 00 6 00	50 00
1 to 2 ft	20 25	1 00 1 50	8 50 12 50	00 00
3 to 4 ft	35	2 00	17 50	
4 to 6 ft Cytisus scoparius. 6 to 18 in., seedlings.	75 15	4 00 75	37 50 6 00	
Diervilla diervilla, 6 to 12 in	m. 20		10 00	
sessilitolia. 6 to 12 in., seedlings.	15	1 25 75	6 00	
rivularis. 1 to 2 ft	35 25	$\frac{2}{1} \frac{00}{50}$	$\frac{17}{12} \frac{50}{50}$	
Direa palustris. 6 to 12 in	20 25	$\frac{1}{1} \frac{00}{50}$	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$	
Euonymus americanus. 1 to 2 ft.	25 60	1 50 3 50	12 50	
Fraxinus americana. 2 to 3 ft	20	1 00	30 00 8 50	
3 to 4 ft	$\frac{20}{20}$	$\frac{1}{1} \frac{25}{00}$	10 00 8 50	
6 to 8 ft	30 50	1 75 3 00	15 00	
Gaylussacia resinosa. 6 to 12 in	20	1 00	8 50	
ursina. 1 to 2 it., clumps	$\frac{25}{40}$	$\frac{1}{2} \frac{50}{50}$	12 50	
Silver Bell, 6 to 12 in.	20	1 00	8 50	
1 to 2 ft 2 to 3 ft	25 40	1 50 2 50	12 50	
EVERGREENS ARE MARKED		H A ST	22 50 FAR (*)	
4				

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of HIGHLANDS NURSERY

TREES, SHRUBS AND VIN	ES,	contir	nued	
Hamamelis virginiana. Witch Hazel. Ea	ch	10	100	1,00
6 to 12 in	20	\$0 75 1 25	\$6 00 10 00	
2 to 3 ft	35 20	2 00 1 25	10 00	
1 to 2 It	30	1 75	15 00	
2 to 3 ft* *Hypericum aureum.	40	2 50	20 00	
6 to 12 in., seedlings	15 20	75 1 25	6 00	
1 to 2 ft 2 to 3 ft	35	2 00		
*densifiorum. 1 to 2 ft	$\frac{15}{20}$	75 1 00	6 00 8 50	\$60 00
3 to 4 ft* *prolificum. 6 to 12 in	30	1 75	15 00	
1 to 2 ft	$\frac{20}{35}$	$\frac{1}{2} \frac{00}{00}$	8 50 17 50	
Ilex decidua. 1 to 2 ft	$\frac{25}{35}$	$\frac{1}{2} \frac{50}{00}$	12 50 17 50	
3 to 4 ft	50	3 00	27 50	
*glabra. 6 to 12 in monticola. Mountain Holly.	30	1 75	15 00	
6 to 12 in	$\frac{20}{20}$	$\frac{1}{1} \frac{00}{25}$	8 50 10 00	90 00
1 to 2 ft 2 to 3 ft	30	1 75	15 00	90 00
3 to 4 ft	60 00	3 50 6 00	32 50 50 00	
4 to 6 ft	40	2 50	20 00	180 00
1 to 1½ ft	50 75	3 00 4 00	27 50 37 50	
2 to 3 ft		8 00	60 00	
1 to 2 ft	35	2 00	12 50 17 50	
Ilicioides mucronata. 6 to 12 in Itea virginica. 1 to 2 ft. clumps	25 30	1 50 1 75	15 00	
2 to 3 ft., clumps *Juniperus virginiana. 6 to 12 in	50	3 00	25 00	
1 to 2 ft	20 40	$\begin{array}{ccc} 1 & 25 \\ 2 & 50 \end{array}$	10 00 22 50	90 00
*Kalmia angustifolia. 0 to 12 m	20	1 25	10 00	90 00
1 to 1½ ft* *latifolia. Mountain Laurel. 3 to 6 in.	35 10	2 00 50	17 50 4 00	30 00
6 to 9 m	$\frac{20}{25}$	$\frac{1}{1} \frac{00}{50}$	8 50 12 50	75 00 100 00
9 to 12 in	35	2 00	18 00	160 00
1½ to 2 ft	75 85	4 00 5 00	37 50 40 00	325 00
9 to 12 in., clumps	00	6 50	62 50	550 00
2 to 3 ft., clumps	00	$\frac{12}{25} \frac{50}{00}$	$\frac{100}{200} \frac{00}{00}$	
1 to 2 ft., "collected" clumps. 7	00 50	$\frac{60}{100} \frac{00}{00}$	550 00 850 00	
2 to 3 ft., clumps	50	150 00	1300 00	
glauca. 6 to 12 in *Ledum grænlandicum. 6 to 12 in	35 30	$\frac{2}{1} \frac{00}{75}$	17 50 15 00	
*Leiophyllum (Dendrium) buxifolium.	20			
3 to 6 in., clumps 6 to 12 in., clumps	25	1 00 1 50	$\begin{array}{c} 8 & 50 \\ 12 & 50 \end{array}$	
6 to 12 in., clumps 1 to 1½ ft., clumps *var. prostratum. Mountain Heath.	35	2 00		
3 to 6 in., clumps	25	1 50	12 50	
*Leucothoe catesbæi. 6 to 12 in	40 20	2 50 1 00	22 50 8 50	75 00
1 to 1 1/6 ft	25	1 50	12 50	100 00
1½ to 2 ft 6 to 12 in., clumps	40 50	$\frac{2}{3} \frac{75}{00}$	25 00 27 50	225 00
1 to 1½ ft., clumps	75	4 00 6 50	37 50 62 50	325 00
1 to 1½ ft., clumps	50	12 00	100 00	
recurva. o to 12 in	20 50	$\frac{1}{3} \frac{00}{00}$	8 50 27 50	
Tacemosa. 1 to 122 ft., cumps	$\frac{75}{20}$	4 50 1 00	37 50 8 50	
japonica, var. halliana. Light	15	75	6 00	50 00
Strong	$\frac{20}{15}$	1 00 75	8 50 6 00	75 00 50 00
Strong* *sempervirens. 1 to 2 ft	20	1 00	8 50	75 00
Magnolia acuminata. 1 to 2 ft	$\frac{30}{20}$	1 75 1 00	15 00	
2 to 3 ft	$\frac{25}{25}$	1 50 1 50	12 50	
fraseri. 1 to 2 ft	75	4 00	37 50	
6 to 8 ft	$\frac{00}{40}$	6 00 2 50	50 00 20 00	
4 to 6 ft	50	3 00	27 50	
Malus coronaria. See Pyrus. Menziesia pilosa. 1 to 2 ft., clumps	35	2 00	17 50	
2 to 3 ft., clumps Mohrodendron. See Halesia. Myrica cerifera. 1 to 2 in., transplanted	60	3 50	30 00	
Myrica cerifera. 1 to 2 in., transplanted	10	60	5 00	\$4 0 00
gale. 6 to 12 in	$\frac{25}{35}$	$\frac{1}{2} \frac{50}{00}$	12 50 17 50	
pumila. 6 to 12 in	50	3 00	27 50	
Nyssa multiflora. 6 to 12 in	$\frac{20}{40}$	1 00 2 50	8 50 22 50	
2 to 3 ft	60	3 50	30 00	
EVERGREENS ARE MARKED V	VIT.	HAS	TAR (*)	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of HIGHLANDS NURSERY

TREES, SHRUBS AND VINES,			
Ostrya virginica. 1 to 2 ft\$0 20	\$1 25	\$10 00	1,000
2 to 3 ft	2 00 3 00	17 50	
3 to 4 ft	3 00	27 50	
eda. 6 to 12 in 20	1 00 1 50	8 50	\$75 00
2 to 3 ft	2 25	12 50 20 00	100 00 180 00
3 to 4 ft	3 50 5 00	30 00	
*Picea engelmanni. 3 to 6 in	75	6 00	50 00
*mariana. 2 to 3 ft	1 75	15 00	
Pieris mariana. 6 to 12 in	2 00	17 50	
3 to 4 ft	2 50	$\frac{17}{22} \frac{50}{50}$	
4 to 6 ft	6 00	50 00	
2 to 3 ft 60	3 50		
*jeffreyi. 6 to 12 in	2 00		
*lambertiana. 6 to 12 in	2 00	17 50	
*pungens. 4 to 6 ft	5 00	40 00	
6 to 8 ft	8 00 2 00	70 00 17 50	
3 to 4 ft	3 00	27 50	225 00
4 to 6 ft	6 00 2 00	50 00 17 50	400 00
numila. 1 to 2 ft 25	1 50	12 50	
2 to 3 ft	2 00		
3 to 6 in 10	50	4 00	30 00
6 to 12 in	1 00	8 50	75 00
Pyrus (Malus) coronaria. Wild Fragrant Crab. 1 to 2 ft	2 50	22 50	
Quercus alba. 1 to 2 ft	$\frac{1}{1} \frac{00}{50}$	8 50	
prinus. 1 to 2 ft	1 50 1 00	12 50 8 50	
rubra. 4 to 6 ft	5 00	40 00	
RHODODENDRO	ONG		
*Rhododendron catawbiense. Each 3 to 6 in., heavy, nursery-grown\$0 20	10 \$1 00	100 \$8 50	1,000 \$75 00
6 to 9 in., heavy, nursery-grown 25	1 50	12 50	100 00
9 to 12 in., heavy, nursery-grown 35 1 to 1 1/2 ft., heavy, nursery-grown 60	$\frac{2}{3} \frac{00}{50}$	$\frac{18}{32} \frac{00}{50}$	160 00
9 to 18 in., clumps, nursery-grown 1 50 1½ to 2 ft., clumps, nursery-grown 2 00	10 00 16 00	$\frac{90\ 00}{135\ 00}$	750 00
2 to 3 ft., clumps, nursery-grown 3 00	25 00	200 00	1300 00 1750 00
3 to 4 ft., clumps, nursery-grown 5 00 4 to 5 ft., clumps, nursery-grown 7 00	40 00 60 00	375 00	
1 to 2 ft., "collected" clumps 1 50	10 00	80 00	700 00
1 to 2 ft., "collected" clumps. 1 50 2 to 3 ft., "collected" clumps. 2 00 3 to 4 ft., "collected" clumps. 3 00 4 to 5 ft., "collected" clumps. 5 00	$\frac{15}{25} \frac{00}{00}$	$\frac{130}{220} \frac{00}{00}$	1000 00
4 to 5 ft., "collected" clumps 5 00	40 00	350 00	
*Rhododendron maximum. The Great American Rosebay.			
3 to 6 in., nursery-grown	75	6 00	50 00
6 to 9 in., nursery-grown	$\frac{1}{1} \frac{00}{25}$	8 00 10 00	60 00 90 00
1 to 1½ ft., nursery-grown 35	2 00	18 00	160 00
$1\frac{1}{2}$ to 2 ft., nursery-grown	4 00 7 00	35 00 60 00	500 00
1½ to 2 ft., clumps, nursery-grown 1 50	$\frac{12}{17} \frac{00}{50}$	100 00	
3 to 4 ft., clumps, nursery-grown 4 00	35 00	150 00	
1 to 2 ft., "collected" clumps 1 25 2 to 3 ft., "collected" clumps 2 00	$\begin{array}{ccc} 8 & 00 \\ 12 & 50 \end{array}$	70 00- 100 00	650 00 850 00
3 to 4 ft., "collected" clumps 2 75	20 00	160 00	
4 to 5 ft., "collected" clumps 4 00 5 to 6 ft., "collected" clumps 6 00	30 00 50 00	275 00 400 00	2500 00
6 to 7 ft., "collected" clumps 8 00	65 00	540 00	
0 to 12 in nursery-grown 75	$\begin{array}{cccc} 2 & 50 \\ 4 & 00 \end{array}$	$\frac{22}{35} \frac{50}{00}$	
1 to 1½ it., nursery-grown 1 00	6 00	50 00	
9 to 12 in., clumps, nursery-grown. 1 50 1 to 1½ ft., clumps, nursery-grown. 1 75	$\frac{10}{12} \frac{00}{50}$	90 00 110 00	
1½ to 2 ft., clumps, nursery-grown 3 00	25 00	200 00	
3 to 4 ft., clumps, nursery-grown 7 00	$\frac{40}{60} \frac{00}{00}$		
Send for "How to Grow Rhododendrons Successfully."			
Rhus aromatica. 6 to 12 in	1 25	10 00	
1 to 2 ft	2 00	17 50	
2 to 3 ft	1 25 1 75	$\frac{10}{15} \frac{00}{00}$	
3 to 4 ft	2 50		
Specimens \$1.50 to 5 00			
Rhus glabra. 6 to 12 in. 20 1 to 2 ft. 25	1 00 1 50	8 50 12 50	
6	. 00	12 00	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of HIGHLANDS NURSERY

TREES, SHRUBS AND VINE			1 000
Rhus typhina (hirta). 1 to 2 ft\$0 2	0 \$1 25	\$10 00	1,000
2 to 4 ft 2 4 to 6 ft 4	0 2 50	12 50 20 00	
Robinia hispida. 6 to 12 in	0 1 00 5 1 50	8 50 12 50	
kelseyi. 6 to 12 in	5 2 00 50 3 00	17 50	
viscosa. 4 to 6 ft	35 2 00 3 00		
blanda. 6 to 12 in 2	5 1 50	12 50	
carolina. 1 to 2 it	5 2 00 5 80	17 50 7 00	\$60 00
humilis. 6 to 12 in 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00 8 50	90 00
1 to 2 ft	5 1 50 20 1 00	12 50 8 50	
1 to 2 ft 2	25 1 50 35 2 00	12 50 17 50	
nitida. 6 to 12 in 2	20 1 25 30 1 75	$\frac{10}{15} \frac{00}{00}$	
woodsii. 6 to 12 in 4	0 2 50		
deliciosus. 6 to 12 in 4	5 75 10 2 50	6 00	
laciniatus. 1 to 2 ft 4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		
odoratus. 6 to 12 in 1	5 75 20 1 00	6 00 8 00	
Sambueus canadensis. 1 to 2 ft 2	20 1 00 25 1 50	8 50	
pubens, 6 to 12 in	20 1 00 25 1 50	$\begin{array}{cc} 8 & 50 \\ 12 & 50 \end{array}$	
Spiræa opulus. 2 to 4 ft	20 1 25 35 2 00	10 00 17 50	
tomentosa alba. 1 to 2 ft	25 1 50	12 50	
Stuartia pentagyna. Southern Stuartia. 1 to 2 ft	0 2 50	22 50	
2 to 3 ft 7	75 4 00 00 6 50	$\frac{35}{62} \frac{00}{50}$	
	00 15 00	100 00	
6 to 12 in	50 2 75 50 3 50	25 00	
radicans. Strong	20 1 00		
americana. 1 to 2 ft	50 3 00 20 1 00	8 50	
*Tsuga canadensis. Canadian Hemlock.	20 1 25	10 00	90 00
1 to 1½ ft 2	25 1 50 50 3 00	$\frac{12}{27} \frac{50}{50}$	$\frac{110}{225} \frac{00}{00}$
2 to 3 ft 1 (00 6 00 50 10 00	50 00 90 00	450 00 800 00
4 to 5 ft	00 17 50 00 25 00	150 00 200 00	
6 to 7 ft 6 (00 40 00	200 00	
	00 15 00		
4 to 5 ft 6 (00 30 00 00 50 00		
	00 80 00 00 120 00		
Vaccinium erythrocarpon. 1 to 2 ft 6	35 2 00 50 3 50		
*marocarpon. American Cranberry.	15 75 35 2 00	6 00 17 50	50 00
1 to 2 ft., clumps	50 3 00 75 4 00	27 50 37 50	
pennsylvanicum. 3 to 6 in	30 1 75 60 3 50	$\frac{15}{32} \frac{00}{50}$	
1½ to 2 ft., clumps	75 4 50 15 75	6 00	
1 to 2 ft	20 1 25	10 00	
2 to 3 ft	40 2 50		
4 to 5 ft 1 (0 #0	75 00
1 to 2 ft	20 1 00 25 1 50 30 1 75	8 50 12 50	$\frac{75}{100} \frac{00}{00}$
2 to 3 ft	75 4 00	$\frac{15}{37} \frac{00}{50}$	
4 to 6 ft	20 1 25	50 00 10 00	
molle. 1 to 2 ft	25 1 50 25 1 50		
oxycoccus. 2 to 3 it	25 1 50 35 2 00	17 50	
Xanthorrhiza apiifolia. Yellow Root.		4 00	30 00
6 to 12 in	15 75	5 00	40 00
6 to 12 in., clumps	20 1 00 20 1 25	10 00	90 00
1 to 1½ ft., clumps	10 2 50 25 1 50	$\frac{22}{12} \frac{50}{50}$	
EVERGREENS ARE MARKED W	ITH A S	FAR (*)	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of HIGHLANDS NURSERY

Hardy Herbaceous Perennials, Vines, Aquatics, Ferns, Orchids, Lilies and Bulbous Plants

Bulbous Plants	Each	,	0	16	00	1.000
Acorus calamus	Each . \$0 20	\$1	00		00	1,000
Actæa alba	. 20	1	$\begin{array}{c} 75 \\ 25 \end{array}$	10	00	
tricoccum	. 20		00 00	8	00	
Aquilegia canadensis	. 20	1	00	8	00	
chrysantha	. 15		$^{25}_{75}$	6	00	
racemosa. Clumps	. 20	1	00 75	8	00	
Arisæma triphyllum	. 20		00	8	00	
Artemisia gracilis	. 40	1	50 00	8	00	
Asarum macranthum. Asters, in variety: curtisii, macrophyl	. 20	1	00			
lus, umbellatus	. 20		00	6	00	
Astilbe decandra. Baptisia tinetoria	. 20	1	00 00	8	00	
Bicuculla (Dicentra) canadensis	. 20		00 00	7	00	
eximia. Cacti, Hardy Species, Echinocactus	20		25	10		
simpsonii, Echinocereus viriai						
florus, Opuntia arenaria, Opuntia camanchica, Opuntia major	•					
Opuntia mesacantha cymochila						
Opuntia mesacantha greenii Opuntia polyantha	00		00	35	00	
Echinocactus, Perpetual Snow Calopogon. See Limodorum.	1 25	7	00			
Caltha leptosepala. Marsh Marigold.	25 20		50 00	0	00	
Campanula divaricata*Carex fraseri	20	1	25	10	00	
Cassia marylandica. Caulophyllum thalictroides. "Collected".	. 15		75	6	00	
lected" Chamælirium luteum	20		00		00	
Chelone glabra	. 20	1	00	8	00	
lyoni Chrosperma muscætoxicum	20	1	00 75		00	
Cicuta maculata	. 20	1	00	8	00	
racemosa	15		75	6	00	
Clematis coccinea		3	00	25		
crispa	. 40		75	20	00	
crispafremontivirginiana	85	5	00	20		
fremontivirginianavitalba.	85 20 30	2 5 1 1	00 00 75	6 16	00	
fremonti virginiana vitalba *Clintonia umbellata. Collinsonia canadensis	85 20 30 15 20	2 5 1 1	00 00 75 75	6 16 6 8	00 00 00 00	
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreonsis lanceolata Clumps	85 20 30 15 20 15	2 5 1 1	00 75 75 00 75	6 16 6 8 5	00 00 00 00 00	
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreonsis lanceolata Clumps	85 20 30 15 20 15	2 5 1 1	00 75 75 76 00 75 75	6 16 6 8 5 6	00 00 00 00 00 00	
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreonsis lanceolata Clumps	85 20 30 15 20 15	2 5 1 1 1 1 1 1	00 75 75 76 00 75 75	6 16 8 5 6 8 8 8	00 00 00 00 00 00	
fremonti virginiana vitalba *Clintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps. verticillata. Cypripedium acaule. Light.	85 20 30 15 20 15 15 15 20 20 20	2 5 1 1 1 1 1 1 1 1	00 75 75 00 75 75 75 75 00 75	6 16 6 8 5 6 6 8 8 5	00 00 00 00 00 00 00 00 00	\$40 00 70 00
fremonti virginiana vitalba *Clintonia umbellata. Collinsonia canadensis Convallaria majalis Coreopsis lanceolata. Clumps major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong hirsutum. Light	85 20 30 15 20 15 15 20 20 15 20	2 5 1 1 1 1 1 1 1 1 1	00 75 75 75 75 75 75 75 75 75 75 75	6 16 6 8 5 6 6 8 8 5 10 5	00 00 00 00 00 00 00 00 00 00	70 00 40 00
fremonti virginiana vitalba *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps major. rosea. Clumps verticillata Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginge (spectabile). Showy Lady'	85 20 30 15 20 15 15 20 15 20 15 20 15 20	2 5 1 1 1 1 1	00 75 75 75 75 75 75 00 75 75 25	6 16 6 8 5 6 6 8 8 5 10 5 10	00 00 00 00 00 00 00 00 00 00 00	70 00
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps major. rosea. Clumps verticillata Cypripedium acaule. Light Strong. hirsutum. Light Strong. reginæ (spectable). Showy Lady's	85 20 30 15 15 15 20 20 20 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 1 2	00 75 75 75 75 75 75 75 75 75 75 75	6 16 6 8 5 6 6 8 8 5 10 5	00 00 00 00 00 00 00 00 00 00 00	70 00 40 00
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps major. rosea. Clumps verticillata Cypripedium acaule. Light Strong. hirsutum. Light Strong. reginæ (spectable). Showy Lady's	85 20 30 15 15 15 20 20 20 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 2 6 1	00 00 75 75 00 75 75 75 75 75 00 75 75 50 00 75 50 00 75 75 00 00 00 00 00 00 00 00 00 00 00 00 00	6 16 6 8 5 6 6 8 8 5 10 5 10 5 10	00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00
fremonti virginiana vitalba *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps major. rosea. Clumps verticillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectabile). Showy Lady'. Slipper. 1 to 2 crowns. Dionæa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanueinosum.	85 20 30 15 20 15 15 15 20 15 20 15 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 2 6 1 1 1	00 00 75 75 00 75 75 75 00 00 75 75 50 00 00 00 00 00 00 00 00 0	6 16 6 8 5 6 6 8 8 5 10 5 10 5 10	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong hirsutum. Light. Strong reginæ (spectabile). Showy Lady'. Slipper. 1 to 2 crowns 3 to 5 crowns Dionæa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphillela cymosa. *Epjææa repens. Trailing Arbutus.	85 20 30 15 20 15 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00 000 75 75 75 00 75 75 75 75 75 75 25 75 25 50 00 00 00 225 225	6 16 6 8 5 6 6 8 8 5 10 5 10 50 8 7 9	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. hirsutum. Light. Strong. bisper. 1 to 2 crowns. Dionesa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum Diphilleta cymosa. Established clumps. "Collected" clumps.	85 20 30 15 20 15 15 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 2 6 1 1 1 1 1 2 1 1	000 75 75 75 75 75 75 75 75 75 75	6 16 6 8 5 6 6 8 8 5 10 5 10 5 0 5 10 5 10 10 10 10 10 10 10 10 10 10 10 10 10	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major rosea. Clumps. verticillata. Cypripedium acaule. Light. Strong hirsutum. Light. Strong pisper. 1 to 2 crowns Slipper. 1 to 2 crowns Dionæa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleta cymosa *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps.	85 30 30 15 15 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 2 6 1 1 1 1 1	000 000 75 775 00 775 775 000 775 775 000 775 775	6 16 6 8 8 5 5 6 6 6 8 8 8 5 5 10 5 10 20 50 8 7 9 10 22 11 12 12	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps. verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. hirsutum. Light. Strong. bisper. 1 to 2 crowns. Dionesa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleta cymosa. Established clumps. Established clumps. Erythronium albidum. americanum. Eupatorium ageratoides.	85 20 30 15 20 15 15 20 15 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 2 6 6 1 1 1 1 1 1	000 75 75 77 75 77 75 77 75 77 75 75	6 16 6 8 8 5 5 6 6 6 8 8 8 5 5 10 5 10 20 50 8 7 9 10 22 11 12 12	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps. verticillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectabile). Showy Lady's Slipper. 1 to 2 crowns. Dionæa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum Diphilleia cymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum Eupatorium ageratoides.	85 20 30 15 15 15 20 15 20 15 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 2 6 1 1 1 1 1 1 1 1 1 1 1 1 1	000 75 75 77 75 77 75 77 75 77 75 75	6 16 6 8 8 5 5 6 6 6 8 8 8 5 5 10 5 50 8 7 7 9 9 10 12 22 12 12 21 10 10	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps. verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. hirsutum. Light. Strong. bisper. 1 to 2 crowns. Dionesa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleta cymosa. Established clumps. Established clumps. Erythronium albidum. americanum. Eupatorium ageratoides.	85 80 30 15 15 15 20 15 20 15 20 15 20 20 20 20 20 20 20 20 20 20	2 5 1 1 1 1 1 2 6 6 1 1 1 1 1 1	000 75 75 775 775 775 775 775 775 775 77	6 16 6 8 8 5 5 6 6 6 8 8 8 5 10 5 5 10 20 5 10 21 12 12 12 12 12 12 12 12 12 12 12 12	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00
fremonti virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. reginæ (spectabile). Showy Lady'. Slipper. 1 to 2 crowns. Dionæa muscipula. Venus Fly-trap Dioseorea villosa. Disporum lanuginosum Diphillela cymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata.	85 80 30 15 15 15 20 20 20 15 10 20 20 20 20 20 20 20 20 20 2	25 11 1 1 1 1 2 6 1 1 1 1 1 1 1 1 1 1 1 1	000 75 700 75 775 000 75 775 000 75 775 500 775 775	6 16 6 8 8 5 5 6 6 6 8 8 8 5 10 5 5 10 20 5 10 21 12 12 12 12 12 12 12 12 12 12 12 12	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. hirsutum. Light. Strong. binger. 1 to 2 crowns. Dionesa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleta cymosa. *Epigæa repens. Trailing Arbutus. Established clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata Ferns, Hardy Native	85 20 30 15 15 15 20 15 20 15 20 20 20 20 20 20 20 20 20 20	25 11 11 11 12 66 11 11 11 11 11 11 11 11 11 11 11 11	00 00 77 50 77 50 77 50 77 50 60 60 60 60 60 60 60 60 60 6	6 16 6 8 8 5 6 6 6 8 8 8 5 10 5 5 10 5 10 20 20 12 12 12 12 12 12 12 12 12 12 12 12 12	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. reginæ (spectabile). Showy Lady'. Slipper. 1 to 2 crowns. Dionsea muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum Diphillela cymosa. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides perfoliatum. purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native Adiantum pedatum. Asplenium filix-fœmina	85 20 30 15 15 15 20 15 20 15 20 20 20 20 20 20 20 20 20 20	25 11 1 1 1 1 2 6 1 1 1 1 1 1 1 1 1 1 1 1	00 00 00 00 05 75 00 07 07 07 07 07 07 07 07 07	6 16 6 8 8 5 6 6 6 8 8 8 5 10 5 10 10 12 12 12 12 12 12 12 18 8 10 10 12 8 8 10 8 10	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps. verticillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectabile). Showy Lady'. Slipper. 1 to 2 crowns. Dionæa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphillela cymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides perfoliatum. purpureum. Strong. Euphorbia corollata Ferns, Hardy Native Adiantum pedatum. Asplenium filix-femina thelynteroides.	85 20 30 15 15 15 20 20 20 15 15 20 20 20 20 20 20 20 20 20 20	25 11 1 1 1 1 2 6 6 1 1 1 1 1 1 1 1 1 1 1	000 000 775 000 775 775 000 775 775 500 000 775 500 000 550 55	6 16 6 8 8 5 5 6 6 6 8 8 8 5 5 10 0 5 50 0 8 7 7 9 9 10 10 12 2 2 10 10 10 12 2 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. hirsutum. Light. Strong. 1 to 2 crowns. Dionesa muscipula. Venus' Fly-trap Dioscorea villosa. Disporum lanuginosum. Diphilleta cymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum Eupatorium ageratoides perfoliatum. purpureum. Strong. Euphorbia corollata Ferns, Hardy Native Adiantum pedatum. Asplenium filix-fœmina thelypteroides. *Botychium virginianum *Dryopteris acrostichoides.	85 20 30 15 15 15 20 20 15 20 20 20 20 20 20 20 20 20 20	25 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00 00 00 75 75 00 75 75 75 75 75 50 00 00 22 55 50 50 50 50 50 50 50 50 50 50 50 50	6 16 6 8 8 5 5 6 6 6 8 8 8 8 5 5 10 5 50 6 6 8 8 8 7 7 9 10 12 12 12 2 2 10 10 12 12 18 8 8 7 7 8	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. hirsutum. Light. Strong. Strong. hirsutum. Light. Strong. Dioscorea villosa. Dionesa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia cymosa. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native Adjantum pedatum. Asplenium filix-fœmina thelypteroides. "Botrychium virginianum "Dryopteris acrostichoides. goldieana. *marginalis.	85 20 30 15 15 15 20 15 20 15 20 20 20 20 20 20 20 20 20 20	25 5 1 1 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1	00 00 00 00 00 00 00 00 00 00 00 00 00	6 16 6 8 8 5 5 6 6 6 8 8 8 5 5 10 0 5 0 5 0 0 10 12 2 2 10 10 10 12 2 8 8 7 7 8 10 8 8 8 7 7 8 10 8	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00 100 00 16 00
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis. Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps. verticillata. Cypripedium acaule. Light. Strong. hirsutum. Light. Strong. reginæ (spectabile). Showy Lady'. Slipper. 1 to 2 crowns. Dionæa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphillela cymosa. *Epigæa repens. Trailing Arbutus. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata Ferns, Hardy Native Adiantum pedatum. Asplenium filix-fœmina thelypteroides. *Botrychium virginianum *Dryopteris acrostichoides. goldieana. *marginalis. *noveboracensis.	85 20 30 15 15 15 20 15 15 20 20 20 20 25 25 20 Spee Each 20 20 20 20 20 20 20 20 20 20 20 20 20	25 11 1 1 1 1 2 6 1 1 1 1 1 1 1 1 1 1 1 1	00 00 00 775 775 00 075 775 00 075 775 00 00 00 00 00 00 00 00 00 00 00 00 00	6 16 6 8 8 5 5 6 6 6 8 8 8 5 5 10 0 20 5 0 0 8 7 7 9 10 12 2 2 11 10 12 8 8 8 7 7 8 10 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00 100 00 16 00 1,000
fremonti. virginiana. vitalba. *Clintonia umbellata. Collinsonia canadensis Convallaria majalis. Coreopsis lanceolata. Clumps. major. rosea. Clumps verticillata. Cypripedium acaule. Light Strong. hirsutum. Light. Strong. hirsutum. Light. Strong. Strong. hirsutum. Light. Strong. Dioscorea villosa. Dionesa muscipula. Venus' Fly-trap. Dioscorea villosa. Disporum lanuginosum. Diphilleia cymosa. Established clumps. "Collected" clumps. Erythronium albidum. americanum. Eupatorium ageratoides. perfoliatum. purpureum. Strong. Euphorbia corollata. Ferns, Hardy Native Adjantum pedatum. Asplenium filix-fœmina thelypteroides. "Botrychium virginianum "Dryopteris acrostichoides. goldieana. *marginalis.	85 20 30 15 15 15 15 20 20 20 20 20 20 20 20 20 20	25 5 1 1 1 1 1 1 2 6 6 1 1 1 1 1 1 1 1 1 1 1	00 00 07 00 07 07 07 07 07 07 07 07 07 0	6 16 6 8 8 5 5 6 6 6 8 8 8 5 5 10 20 20 20 12 12 12 12 12 12 18 8 8 8 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8	00 00 00 00 00 00 00 00 00 00 00 00 00	70 00 40 00 80 00 100 00 16 00

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of HIGHLANDS NURSERY

HARDY HERBACEOUS PERE	NNIA	LS, cor	tinued	1
Ferns, continued I	Cach	10	100	1,000
Onoclea sensibilis	0 20	\$1 00	\$8 00	
toniana and regalis	25	1 50		\$100 0
Phegopteris hexagonoptera* *Polypodium vulgare	20 15	1 00 75	8 00 6 00	35 0
Pteris aquilina	15	75	5 00	30 00
Galax aphylla. Established clumps	25	1 50	12 00	90 0
"Collected" clumps	20	1 00	8 00	50 00
Gaultheria procumbens. Clumps Gillenia. See Porteranthus.	25	1 50	10 00	
Glechoma (Nepeta) hederacea. "Col-		~-	- 00	40.0
lected"	15 15	75 75	5 00 5 00	40 00 35 00
Strong	20	1 00	6 00	50 0
Geranium maculatum Goodyera. See Peramium.	15	75	6 00	
Habenaria ciliaris	20	1 00	8 00	
hookerianaperamœna	20 30	1 00 1 75	8 00 15 00	
Helenium autumnale	20	1 00	8 00	
Helianthus strumosus	$\frac{20}{20}$	1 00	8 00	
Hepatica acutiloba	20	1 00	8 00	
Heuchera americana and villosa Hibiscus, "Crimson-eye" and rose-	20	1 00	8 00	
pink	20	1 00	8 00	40.0
Houstonia purpurea and serpyllifolia. Humulus lupulus	$\frac{15}{20}$	1 00	6 00 8 00	40 0
Hydrastis canadensis	20	1 00	8 00	00.0
Iris cristata missouriensis	$\frac{25}{25}$	$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$	10 00 12 00	80 0
pseudacorus	20	1 00	8 00	
*verna. Clumpsversicolor	25 20	1 50 1 00	10 00 8 00	
Lacinaria (Liatris) pycnostachya	20	1 00	8 00	
spicataspicata pumila	$\frac{20}{20}$	1 00	8 00	
prouva parameter	-			
Lilies				
Lilium canadense. Wild Yellow	Each	10	100	1,00
Lily. 2nd size	\$0 10 20	\$0 60 1 00	\$5 00 7 00	
1st size Carolina Lily.				
2nd size	20 20	$\frac{1}{1} \frac{00}{25}$	7 00 10 00	
1 st. size grayi. 2nd size	20	1 00	6 00	\$50 0
1st sizesuperbum. Turk's-Cap Lily.	20	1 25	10 00	80 0
3rd size	10	40	2 00	18 0
2nd size 1st. size	15 20	75 1 00	5 00 8 00	30 0 60 0
	***	1 00	0 00	00 0
Limodorum (Calopogon) tuberosum.	20	1 00	8 00	
Light	25	1 50	12 00	
Lobelia cardinalis and syphilitica	20 20	1 00	8 00	
Medeola virginiana	20	1 00	8 00	
Menispermum canadense. Moonseed.	15 20	1 00	6 00 8 00	
Mimulus ringens	25	1 50	10 00	
Monarua uluyma	20 35	$\frac{1}{2} \frac{25}{00}$	$\frac{10}{16} \frac{00}{00}$	
Orchis spectabilisOrontium aquaticum	25	1 50	10 00	
Panax (Aralia) quinquefolium. 3rd size	15	75	6 00	50 0
2nd size	20	1 25	10 00	90 0
1st size	30 40	$\frac{1}{2} \frac{75}{50}$	$\frac{15}{22} \frac{00}{00}$	125 0
X size Peramium (Goodyera) pubescens and	40	2 00	22 00	
repens	30 20	1 75		
Phlox pilosa* *subulata alba	25	1 00 1 50		
Physostegia virginiana	15	75 75	6 00	
Podophyllum peltatum Polygonatum bilflorum	15 15	75	6 00	
commutatum	20	100	8 00	
Polygonum cilinode	$\frac{15}{20}$	1 00	5 00 8 00	
Potentilla tridentata	20	1 00	8 00	60 0
Rhexia virginica	20	1 00	8 00	60 0
Strong	15	75	6 00	36 0
Sanguinaria is shipped entirely at con- signee's risk.				
Sarracenia catesbæi and flava	30	1 75	15 00	
Saxifraga micranthidifolia	25 25	1 50 1 50	12 00	
michanxii			0.00	
michauxiiSedum telephoides and ternatum	20	1 00	8 00	
michauxii Sedum telephoides and ternatum 'Shortia galacifolia. 2nd size 1st size		1 00 2 00 4 00	18 00 35 00	

KELSEY'S Hardy American Plants Rhododendrons and Azaleas

Catalog of HIGHLANDS NURSERY

HARDY HERBACEOUS PERE	NNIA	LS,	co	ntin	ued		
\mathbf{E}	ach	10)	10		1,0	000
Silene stellata\$	0 20	\$1	00	\$8	00		
virginica	20	1	25	10	00		
Sisyrinchium angustifolium	20	1	00	8	00		
Solidago canadensis, boottii, erecta,							
glomerata, odora, pallida, pat-							
ula, rugosa and rupestris	20	1	00	8	00	\$65	00
Spigelia marilandica	50	3	00	20	00		
Stachys aspera	15		75	6	00		
Steironema ciliatum, quadrifolium							
and terrestris	15		75	6	00		
Stenanthium robustum. Mountain							
Feather Fleece. 3rd size	20	1	00	8	00	60	00
2nd size	25	1	50		50	100	00
1st size	50	3	00		00		
Stokesia cyanea	20	1	00	8	00		
Thalictrum dioicum	15		80	6	00		
Thermopsis caroliniana. Strong	20	1	00	8	00		
Light	10		60	5	00		
Therofon aconitifolia	15		75	6	00		
Tradescantia montana	20	1	00	8	00		
Trautvetteria carolinensis	20	1	25				
Trillium erectum. 2nd size	10	_	40	3	00	18	00
1st size	15		75	5	00	30	00
var. album. Strong	20	1	00	8	00		
grandiflorum. 2nd size	10		30	1	50	12	00
1st size	10		60	3	50	20	00
recurvatum	15		75	6	00	50	00
stylosum. 2nd size	10		60	4	00	30	00
1st size	15		75	6	00	50	00
undulatum. 2nd size	10		60	4	00	30	00
1st size	15		75	6	00	40	00
Triosteum perfoliatum	20	1	00				
Uvularia perfoliata and sessilifolia	20	1	00	8	00		
Vagneria racemosa	20	1	00	- 8	00		
Veratrum viride	20	1	00	8	00		
Vinca minor. Strong	20	1	00	8	00		
Viola canadensis	20	1	00				
cucullata	20	1	00	8	00		
hastata	20	ï	00	8	00		
pedata	20	1	00	8	00		
pedata bicolor	30	ī	75	14	00		
rotundifolia	20	1	00	8	00		
sagittata	20	ĩ	00				
*Xerophyllum asphodeloides	35		00	15	00		
*Yucca concava	25		50		00		
*filamentosa	35		00	- 0			
*flaccida	20		00	8	00	60	00
*glauca	25		50		50		
Granca		-	30				

TERMS

Terms cash, or satisfactory references from unknown parties. Accounts due the first of each month, unless by special arrangement. 5 at 10 rates; 50 at 100 rates; 500 at 1,000 rates.

An extra charge is always made for special selection

Packing free at prices in these catalogs.

Send foreign remittances by Postal Money Order, drawn on Salem, Mass., post office; or by New York or Boston Exchange. An American dollar equals four shillings, four marks, or five francs.

GUARANTEE

No guarantee, expressed or implied, is made that stock will grow, whether planted by me or not.

Having no control over after treatment of plantings, or over weather conditions, it is obvious that purchaser must assume all responsibility after delivery in good condition.

All shipments travel at consignee's risk, and transportation companies must be held liable for damage in transit.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part it will gladly be rectified.

HARLAN P. KELSEY, Owner Salem, Mass. U. S. A.

EVERGREENS ARE MARKED WITH A STAR (*

CATALOG OF

BOXFORD NURSERY



KELSEY'S Hardy American Plants, Rhododendrons and Fine Evergreens

THIS IS A PRICED CATALOG of my Boxford Nursery, located at Boxford, Massachusetts (East Boxford P.O.), on the Georgetown branch of the B. & M. R. R. Here may be seen growing the choicest collection of Specimen Nursery Stock, selected for the most discriminating buyers. Special attention is given to Hardy Native Material, which must always be the basis of successful permanent plantings.

SPECIMEN STOCK. There is a growing demand for fine specimen stock in Conifers, Rhododendrons, Kalmias, Andromedas and other evergreens, and my Boxford Nursery is established to supply just this need.

PRICES are made to fit the quality of stock sent out. Few realize that the real value of Nursery Stock is largely underground. Frequent transplanting, and handling specimens with adequate, burlaped balls, means success and quick results. It costs more, but it is the fixed policy of my Boxford Nursery; and "cheap" stock will not be handled or sent out. The best is always the cheapest.

PACKING CHARGES FREE at prices in this catalog for shipment by freight or express. Team and auto delivery to North Shore or Boston Points at net cost.


VISITORS ARE ALWAYS WELCOME at both Nurseries, or at my Salem office. Many customers take the trip to my Highlands Nursery in the Carolina Mountains during the blooming season of Rhododendrons and Azaleas. No such show can be seen elsewhere, and it is an outing worth while. I am glad to give details. Boxford Nursery is easily reached by train or automobile.

HARLAN P. KELSEY, Owner

Office, 287 Essex St. Telephone Connection.

SALEM, MASS.

Catalog of BOXFORD NURSERY



Rhododendron carolinianum, Proctor's Rock Garden, Topsfield

Rhododendron carolinianum

A new species. Clear pink

The smallest Alleghanian species, though it often attains a height of 15 feet and is wide spreading. A very graceful shrub, with totally different aspect from the two species preceding. Leaves dark green, usually blunt and narrow, covered with rusty dots below, much smaller than either maximum or catawhiense. Flower-clusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hillsides, standing exposure unusually well, and invaluable as a single specimen or for massing with the other species.

Until this year we have been sending this beautiful and rare species out under the name of punctatum. Prof. Sargent has recently called attention to the feet that it is a distinct species from the punctatum differing in time of bloom, with more showy and profuse flowers, and making a much larger and finer plant than the punctatum.

making a much larger and finer plant than the punctatum.

It is now known as Rhododendron carolinianum, being described and named by Mirch Rehder, Arnold Arbertsum, James Philip Mark

and named by Alfred Rehder, Arnold Arboretum, Jammea Plain, Mass. The above illustration is from a photograph by Mr. Kelsey, May 21, 1913, at an estate in Topsfield, Mass.

Sizes and prices at Boxford Nursery, Boxford, Mass.

A		TO THE MINISTER
	Each	10 100
6-9 in	 	\$1.00 \$30.00
9-12 in	 	6 00 50 00
9-12 in clumps.	 	12 50 100 00
1-1 12 ft clumps	 2 00	17 50 150 00
1½-2 ft. clumps	 	32 50
2-3 ft. clumps	 6 (H)	āD (H)
3-4 ft climbs	10.00	

MARLAN P. KELSEY, Owner, Salem, Mass.

HIGHLANDS NURSERY 3,800 it. elevation in Carolina Mts. BOXFORD NURSERY Boxford, Mass.

CATALOG OF BOXFORD NURSERY

Note: All plants are transplanted and namery-grown, unless chiefly marked otherwise.

This a catalog of Nursery-grown plants growing at my Boxford Nursery, Boxford, Mass.

Evergreen Trees and Shrubs

bles erisor	Each \$2 50	10	100
concolor.	Carro Carro	\$4 00 12 50	\$30 00
	2 to 3 ft	20 00	
	6 to 10 ft., extra specimens \$20 to 40 00		
douglasti.	See Proudstance.	1 25	10 00
Iraseri. r	1 to 1 1/4 ft	2 00	12 50
	11/4 to 2 ft	4 00	37 50
	2 to 3 ft	10 00 20 00	90 00
Extra sp	3 to 4 ft	80 00	
6 to 8	ft., \$5 to \$8 each; larger sizes, \$10 to		
\$15 es	lama. Nordmann's Fir. 2 to 3 ft 3 00	25 00	
reitchil. 3	to 4 ft	35 00	
Bush.	(Firm) Latinasia. Mountain Fetter		
6 to 15	in., strong, bushy plants, budded 75	6 00	50 00 100 00
6 to 12	in., heavy clumps	12 50 17 50	150 00
japonica.	Japanese Fetter Bush.		
	12 to 15 in	10 00 6 00	
iota aurea	conspicus. 6 to 12 in	4 00	
		4 00	
VAL. DADA	6 to 12 in	6 00	
uxus arboi	rescent. Tree Box.		
8 to 1	2 in., 3 years transplanted	50 75	6 00
pyramida			0 00
	lis. Pyramidal Box. 2 to 3 ft	17 50 37 50	
sempervi	3 to 4 ft	37 50	
Bush F			
	1 to 1½ ft	12 50 17 50	100 00
Standa	rd and Half-standard.	11 00	
	1½ to 4 ft		
suffrutied	3 years transplanted	75	6 00
odrus atl	antica glauca. Mt. Atlas Silver		
Cedar	. 1½ to 2 ft	12 50	
asmeeyp	216 to 3 ft 1 75	15 00	
var. frase	ri. 2½ to 3 ft	15 00 15 00	
VAI. Velte	nii. 2 to 2 ½ it		
sempervi	ens pyramidalis, 15 to 18 in 1 50		
		4 00	35 00
Ivperioum.	6 to 12 in 50 densifiorum. St. John's Wort.	4 00	40 6
	2 to 3 ft	1 75	15 0
lax cremata	Japanese Holly. 6 to 8 in		
сраса. А	merican Holly. 1 to 1 1/2 ft 60	5 00	
	2 to 3 ft. 23 1 to 1½ ft. 1 25 merican Holly. 1 to 1½ ft. 60 1½ to 2 ft. 80 2 to 3 ft. 1 50		
vomitori	. Cassena Holly.		
	Cassena Holly. 15 to 18 in., pot-grown	8 50	
uniperus	thinensis procumbens. 6 to 12 in transplanted	4 00	30 0
chinensi	6 to 12 in., transplanted		
commun	fs. Common Prostrate Juniper 6 to 12 in	4 00	30 0
	1 to 1 1/6 ft	10 00	90 0
	11/2 to 2 ft		
var. aura	1 to 1½ ft. 1 2 to 1½ to 2 ft. 1 2 to 15 ft. 1 2 to 15 ft. 1 2 to 18 in. 1 0 to 15 ft. 1 2		
Clabeta.	12 in 1 73		
japonica	12 in. 1 73 Japanese Juniper. 1 14 in. 74 12 to 18 in. 76 a. Golden Japanese Juniper. 2 5	3	
VAP. STITE	Golden Japanese Juniper.	,	
10011000000	J 10 4 11 2 0		
cables	4 to 5 ft	5 00	40 0
1 to 1	1/2 ft., transplanted with balls	7 50	65 0
1 1/2 t	Savin Juniper. 3 to 10 in	9 00	80 0
companier	12 to 18 in 75	6 00	
	12 to 10 m	, 000	
	3		

KELSEY'S Hardy American Plants Rhodedendrons and Asaless

Catalog of BOXFORD NURSERY

Evergreen trees and shruck	. com	linned	
Juniperus tamarizcifolia. Gray Carpet Juniper. 8 to 10 in., transplanted	Each	10	100
1,2 to 2 it	. 1 25	-10 00	\$60 00
virginiana. Red Cedar. 1 to 2 ft	. 75 . 1 50	6 00 12 50	50 00
5 to 6 it	. 3 00	27 50	225 00
var. glauca. Blue Virginia Cedar 1½ to 2 ft. 2 to 2½ ft. var. patteriana. 1½ to 2 ft. var. achottii. 1½ to 2 ft. var. achottii. 1½ to 2 ft. 1 to 2 ft., clumps. "Collected" clumps.	50 00	45 00	
var. glauca. Blue Virginia Cedar 1½ to 2 ft 2 to 2½ ft	. 1 25	III 00 18 00	
var. patzeriana. 1½ to 2 ft	1 50	12 50	
Enlargustifelia. Narrow-leaved Laurel.	. 1 50	IM 50	
1 to 2 ft., clumps	. 75	6 00	40.00
Intions. Mountain Laurel.			(3
9 to 12 in. 1 to 1½ ft.	. 40	3 50 5 00	30 00 40 00
1½ to 2 ft 1 to 1½ ft., clumps	80	7 00	60 00
1 1/2 to 2 ft., clumps	2 00	10 00 17 50	90 00
2 to 3 ft., clumps Leucothos catesbal. Catesby's Leucothoe.	. 3 50	32 50	
6 to 12 in	. 60	5 00	40 00
1 to 1½ ft 1½ to 2 ft	1 00	8 50 15 00	75 00 125 00
1½ to 2 ft. Pachysendra terminalis. 4 to 8 in., pots. Picea alba. White Spruce. 2 to 3 ft.	. 25	1 75	15 00
0 10 0 72 11,	. 2 00	12 50 17 50	100 00 150 00
3½ to 4 ft	. 3 00	25 00	
- 5 to 6 ft	6 00	35 00 50 00	
concolor. See Abies. marians. Black Spruce. 2 to 3 ft	1 50	12 50	
		17 50	
pungens. Colorado Spruce. 3 to 4 ft	3 00 2 50	27 50 22 50	
4 to 5 ft. Lambda Spruce. 3 to 4 ft 4 to 5 ft. Lambda Spruce. 3 to 4 ft 4 to 5 ft. Lambda Spruce 1 to 1½ ft. Lambda Spruce 1 to 1½ ft.	3 50	32 50	
1 to 1½ ft	2 50	22 50	200 00
2 to 3 ft	4 50	32 50 40 00	300 00
effectionale City Co. O. C.	0 00	50 00	
Plans cristata. 12 to 15 in. custrices. Austrian Pine. 1 to 1½ ft. combra. Swiss Stone Pine. 1 to 1½ ft. Succimens. 4 to 5 ft	2 00	4 00	
combra Swiss Stone Pine. 1 to 1½ ft	50	4 00	30 60
Specimens, 4 to 5 ft.	7 00	12 50 60 00	
10161	1 00	8 50	
divarienta (banksiana). Jack Pine. 1 to 2 ft.	2 00		
2 to 3 it	80	5 00 7 00	40 00 60 00
3 to 4 it	1 00	8 50	00 00
Communication of the Limber Pine. 1 to 1 1/4 ft.	1 00	22 50 8 50	
Z It., specimens	2 00	17 50	
1 to 2 ft. with balls	1 50	12 50	100 00
6 to 12 in 2 to 3 ft	60 1 50	5 00 12 50	40 00
2 to 3 ft. Dayanese Short-leaved Pine.	1 30	12 30	100 00
2½ to 3 ft. penderess. Bull Pine. 1 to 2 ft. pungens. Table Mountain Pine. 2 to 3 ft.	3 00	4 00	
pungens. Table Mountain Pine. 2 to 3 ft	60	5 00	
pendercea. Bull Pine. 1 to 2 ft. pungens. Table Mountain Pine. 2 to 3 ft 3 to 4 ft. 4 to 6 ft.	2 00	8 50 18 00	75 00
		25 00 3 00	00 00
restness. Red Pine. 9 to 12 in	50	4 00	20 .00 35 00
4 to 5 ft	2 00	8 50 18 00	
White Pine. 6 to 12 in	20	1 50	10 00
9 42 9 64	00	3 00 5 00	25 00 45 00
tylvestris. Scotch Pine. 6 to 12 in	2 00	18 00	
2 to 3 ft. 3 to 4 ft. 2 to 12 ft. 2 to 2 ft. 2 to 2 ft. 2 to 3 ft. 3 to 4 ft.	35	1 50 3 00	10 00 25 CO
2 to 3 ft	1 00	8 50 10 00	90 00
3 to 4 ft. wateriana. 9 to 12 in. Preudotuna ferifolia Dougla Sauce	7 00	12 50	00 00
	75	6 00	
1 to 2 ft	50 1 00	4 00 . 8 50	30 00
2 to 3 ft	0 00	17 50	75 00 150 00
ver elamon elemente 104, 105	3 00 2 00	25 00 18 00	225 00
Retinospora obtusa gracilis. Japanese Cypress. 18 to 24 in	- 50		
var. nana. Dwarf Japanese Cypress. 8 to 12 in.	75 1 25	6 00 10 00	
var. pygmas. 8 to 10 in	1 75	15 00	
	1 25	10 00	

KELSEY'S Hardy American Plants Rhodedendroms and Amelous

Catalog of BOXFORD NURSERY

RHODODENDRONS		
Rhededendren erbuttfelium (wilsonfi) Each 8 to 10 in., bushy	10 \$8 50 30 00	100
carolinianum. 6 to 9 in. 50 9 to 12 in. 75 9 to 12 in., clumps. 1 50 1 to 1½ ft., clumps. 2 00 1½ to 2 ft., clumps. 3 50 2 to 3 ft., clumps. 6 00	4 00 6 00 12 50 17 50 32 50 50 00	\$30 00 50 00 100 00 150 00
3 to 4 ft., clumps	2 50 17 00 22 50 32 50 50 00	22 50 125 00 200 00
at o 6 ft., extra specimens \$8 to 15 00 catawhiense hybrids. Hardiest varieties, including Prevident Lincoln, album clegans, caractacus alba, everestianum, Gancarl Grant, has hill according to size and selection, \$1 to \$4 each. Each ferrumenum. Alpine Rose. 8 to 10 in \$1 00 var. album. White Alpine Rose. 8 to 10 in 1 00 hisutum. 8 to 10 in 1 00	the for catalog and 10 \$8 \$50 \$50	others,
The Great American Rosebay. 9 to 12 in	2 00 3 00 6 00 9 00 15 00 22 50 37 50	\$17 50 25 00 50 00 80 00 125 00
var. resea. Pink form of Rhododendron maximum. 1½ to 2 ft	100 00 4 00	30 00
cuspidata brevifolia. Japanese Yew. 6 to 8 in. 75 24 to 30 in. 2 50 Thuya, George Peabody. 1 to 1½ ft. 75 occidentalis. American Arborvitæ. 1½ to 2 ft. 50 2 to 3 ft. 75 var. hevevi. 15 to 18 in. 60	6 00 22 50 6 00 4 00 6 00 5 00	32 00 20 00
var. pyramidalis. Pyramidal Arborvitæ. 1 ½ to 2 ft	8 50 4 00 5 00 8 50 12 50	30 00
Tsuga canadensis. Common Hemlock. 1 to 1½ ft. 50 1½ to 2 ft. 50 2 to 3 ft. 1 25 3 to 4 ft. 1 75 4 to 5 ft. 3 00 5 to 6 ft. 4 00 caroliniama. Carolina Hemlock. 3 to 4 ft. 4 00 5 to 6 ft. 10 00 5 to 6 ft. 10 00 6 ft or ft. 15 00	2 00 4 00 10 00 15 00 25 00 35 00 50 00 90 00 140 00	17 50 30 00 90 00 125 00
Vaccinium macrocarpon. American Cranberry. "Collected" clumps	2 00	15 00

Deciduous Trees and Shrubs

Acer Casycarpum. Silver Maple. 8 to 10 ft	Es. \$1		\$7	000	108	g
var. wieri. Cut-leaved Weeping Maple. 7 to 9 ft		00	7	00		
ginnala. 4 to 5 ft		50	6	00 50	200	00
8 to 10 ft		25	10	00	100	
10 to 12 ft		75	15	00	Q	50
2 to 4 ft		30	i			00
6 to 8 ft	 	75	6			
8 to 10 ft Mountain Maple. 1 to 2 ft	 . 1	25 30	9	00 75	15	00
Amelanchier botryapium. Shad Bush.	 •					
Arriia pentaphylia. 2 to 3 ft		50 50	4	00	30	00
3 to 4 ft		75	6		50	
Aronia arbutifolia. 12 to 18 in		60 75	5		40 50	
18 to 24 in		00	8		90	VV
crythrocarna. Dwarf variety. 1 to 2 ft		75	6			
Tall variety. 1 to 2 ft		75 75	6			
nigra. Black Chokeberry. 1 to 2 ft		40	3		FAR.	(0)

KELSEY'S Hardy American Please Rhodedendross and Asalese

Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBO	, cor	atinued	
Azalea erberezeza. Fragrant White Azalea. 6 to 12 in. 12 to 18 in. 12 to 18 in., clumps. 18 to 24 in., clumps. 2 to 3 ft., clumps. 3 to 4 ft., clumps. calendulacea (lutea). Flame Azalea.	Each 50 40 60 1 50 2 50 4 00 6 00	\$3 50 5 00 12 50 22 50 35 00	100 \$25 00 45 00 100 00 200 00
6 to 12 in. 1 to 1½ ft., clumps. 1 to 1½ ft., clumps. 1½ to 2 ft., clumps. 2 to 3 ft., clumps. 3 to 4 ft., clumps. concepts. 12 to 18 in.	28 50 80 1 50 2 50 4 00 60	4 00 7 00 10 00 20 00 35 00	17 50 35 00 60 00
hompferl. I to 1½ ft. lacifolia. 1 to 1½ ft. molils. Japanese Azalea. 1 to 1½ ft. nudifora. Pinxter Flower. 6 to 12 in. 1 to 1½ ft. vazzyi. Southern Azalea. 6 to 12 in. 1 to 1½ ft. 1½ to 2 ft. 1½ to 2 ft., clumps.	1 50 1 00 1 50 1 00 30 60 60 1 00 1 50 2 00 50 1 00	9 00 1 12 50 8 50 2 50 5 00 5 00 7 00 1 2 50 1 8 00	20 00 40 00 40 00 60 00 100 00 30 00 75 00
1 to 1½ ft. clumps. "Collected" clumps with heavy balls and many stems, 3 to 6 ft	5 00 50 1 00 20 35 50 30 50 40 60 1 00	1 75 3 00 4 50 2 50 4 00	15 00 27 50 40 00 22 50 35 00 30 00 40 00 75 00
2 to 3 ft. 2 to 3 ft. Catalpa speciosa. 2 to 3 ft. Carcidiphyllum japonicum. Kadsura Tree. 3 ½ to 4 ft. Chionanthus virginica. White Fringe. 1 to 2 ft. 2 to 3 ft. Clathra accuminata. Mountain Pepper Bush. 4 to 5 ft.	35 50 25 1 00 30 50	3 00 4 50 2 00 8 50 2 50 4 00	25 00 17 50 22 50
cinifelia. Sweet Pepper Bush. 9 to 18 in	1 00 25 35 50 1 75 50 35 35 50 65	8 50 1 50 3 00 4 00 15 00 4 00 3 00 4 00 5 00	12 50 25 00 30 00 25 00 25 00
rostrata. Beaked Hazelnut. 1 to 2 ft. Crategus cocelinea. Scarlet Thorn. 1 to 2 ft. crue-galli. Cockspur Thorn. 1 to 2 ft. 2 to 3 ft. crue-galli. Cockspur Thorn. 1 to 2 ft. var. Double White. 1 to 2 ft. var. Paul's Cearlet. 1½ to 2 ft. var. Pinh. 2 to 3 ft. punctata. Large-fruited Thorn. 3 to 4 ft	20 25 25 30 40 75 75 75 1 00 60 1 25	1 50 1 75 1 75 2 50 3 50 6 00 6 00 6 00 8 50 5 00 10 00	10 00 15 00 22 50 40 00
Desmodium penduliflorum. Bush Clover. Deutzia crenata. 2 to 3 ft. lemoinel. 2 to 3 ft. 2 to 3 ft. Discrylla sessilifolia. Bush Honeysuckle. 1 to 2 ft. 2 to 3 ft. Discryros virginiana. 1 to 2 ft. Discryros virginiana. 1 to 2 ft.	1 50 25 40 50 40 60 35 40	1 50 3 50 4 00 3 50 5 00 3 00 3 50	25 00
americanus. Strawberry Bush. 2 to 3 ft bungeanus. 6 to 10 in. europsa latifella. 2½ to 3 ft obovatus. Dwarf species. Strong tleboldianus. 18 to 24 in 2 to 3 ft 3 to 4 ft intermedia. Hybrid Golden Bell. 3 to 4 ft staboldii. 3 to 4 ft. suspensa. Drooping Golden Bell. 2 to 3 ft.	40 50 25 25	10 00 3 50 4 00 10 00 1 75 8 50 2 50 3 50 5 00 5 00 5 00 3 50	30 00 15 00 75 00 18 00 25 00 40 00 40 00 25 00
Fersythia viridizzima. Dark Green Forsythia. 2 to 3 ft. 3 to 4 ft.	40 60	3 50 5 00	25 00 40 00

KELSEY'S Blandy American Plants Rhododendrons and Azaleas

Catalog of BOXFORD NURSERY

DECIDUOUS TREES AND SERUBS, com		17073
Each 4 to 6 ft	10 33 50 5 00	THE
6 to 8 ft	6 00 5 00	
6 to 8 ft. 1000 Genista tlactosta. Woadwaxen. 1 to 1½ ft. 35 Gaylusaela resincta. "Col." plants, 9 to 18 in. 15 "Collected" clumps, 1 to 2 ft. 60	8 50 3 00 1 00 5 00	\$ 50 40 00
Gleditschia triacanthos. Honey Locust. 5 to 7 it. 2 00 Halesia diptera. Snowdrop Tree. 1 to 1½ ft 50	17 50 4 00 E0 00	
6 to 12 in	3 00	20 00
tetraptera. Silver Bell. 4 to 5 lt	2 50 3 50 5 00	22 50
Town Grand Hedgeness	5 00	40 00
2 to 3 ft	5 00 8 50	40 CO
var. grandisera. Large-nowered frydrangea. 2 to 3 ft. 60 3 to 4 ft. 1 00 Hizz monticola. Deciduous Holly. 1 to 2 ft. 25 verticillata. Black Alder. 1 to 1½ ft. 40 2 to 3 ft. 60	1 75 3 50 5 00	15 00
3 to 4 ft. clumps 2 00	0 00	
6 to 7 ft., clumps	2 00	27 50
	3 00	27 50 15 00
6 to 12 in	8 50 12 50	
Leucothee recurva. Mountain Leucothee. 6 to 12 in	1 75	15 00
1 to 2 ft	3 00 1 75	25 00 15 00
Content	1 50 1 50 3 00	10 00 10 00 25 00
2 to 3 ft	4 00	30 00
3 to 4 ft	6 00 2 00	15 00
1½ to 2 ft	3 50 6 00	30 00
Magnella fraseri. 4 to 6 ft	6 00	
Magnelia fraseri. 4 to 6 ft. 75	2 00	
fortbunda. Flowering Crab. 4 to 5 ft	3 50 3 50	
var. parkmanii. 2 to 3 ft	3 50	
nizdzwetzhyzna. Red-flowering Crab. 4 to 5 ft. 40	3 50	25 00
Hyrica gale. Sweet Gale. "Collected" clumps, 9 to 18 in		40 🔯
"Collected" plants, 9 to 18 in	1 00	8. 0×0 35 0×0
Ostava winginias Ironwood 3 to 4 ft	4 00	
Ozydendrum arboreum. Tree Andromeda.		35 00
2 to 3 ft	6 00	50 00
3 to 4 ft		90 00 50 00
Fruitte maritima. Deach I lunt. O to 12 m	2 50	22 50 30 00
tomentosa. 1½ to 2 ft	3 50	30 00
Omercus eneclines. Scarlet Oak. 2 to 3 ft 50	4 00	
macrocarpa. Mossy-Cup Oak. 3 to 4 ft 1 00 4 to 6 ft 1 50	12 50	
4 to 6 ft	8 50	75 00
8 to 10 ft	4 00	
4 to 6 ft	4 00	
4 to 6 ft	12 50	
Rhamnus dahurica. 8 to 12 in., transplanted 35 Rhodotypus kerrioides. White Kerria. 1 to 2 ft 35	3 00	15 00
copallina. Upland Sumac. 1 to 2 ft	1 75	15 00 15 00
2 to 3 ft. 35 cotincides. Chittam-wood. 6 to 8 ft \$3 to 6 00)	25 CO
Cotinoides. Chittam-wood. 6 to 8 ft	2 00	18 00
	4 00	27 50
Robinia kelseyi. 6 to 12 in	1 50	
viscoen. Clammy Locust. 4 to 6 ft	5 00	

KELSEY'S Recorded control Plants Recorded Control Control Recorded Control Con

Cataleg of BOXFORD NURSERY

DECIDUOUS TREES AND SHRUBS, cont Each Rosa blands. Meadow Rose. 1 to 2 ft	10 10 93 00	100 \$25 CO
Numilis Pasture Rose 1 to 2 ft 30	2 50 1 50 2 00	12 50 17 50
2 to 3 ft 35 nitida. 6 to 12 in 25 rubiginosa. Sweetbrier. 1 to 2 ft 35 2 to 3 ft 50 rugosa. Japanese Rose. 6 to 12 in 25	3 00 1 50 3 00 4 00	25 00 12 50 25 00 30 00
rugesa. Japanese Rose. 6 to 12 in	2 00 3 50 5 00	17 50 30 00 45 00
rugosa alba. Japanese White Rose. 20 to 30 in. 60	5 00 4 00	35 00
1 to 1½ ft. 50	3 50 3 50 5 00	30 00 30 00
Rubus delicity to 2 ft. 75	5 00 1 50 4 00 2 00	12 50
elegantissima. Thurlow's Weeping. 5 to 6 ft 40	3 00 2 00 3 00	17 50 25 00
1½ to 2 ft	1 75 2 75 6 00	15 00 25 00
Spartium junceum, Spanish Broom 15	3 00 1 00	25 00 8 50
bpirses, Anthony Waterer. 6 to 12 in	2 00	17 50 25 00
salicifolia. "Collected" clumps. 1 to 2 ft 60	5 00	40 00 40 00
tomentosum. Steeple Bush. 2 to 3 ft., clumps. 50 thunbergii. Snow Garland. 2 to 3 ft. 50 van houttel. Bridal Wreath. 2 to 3 ft. 50 3 to 4 ft. 75	4 00 4 00 4 00 6 00	30 00 30 00 30 00 50 00
Stephanandra flexuosa. 1 to 2 ft	3 00 8 00 12 50	27 50
# to 5 ft	3 00	00.00
4 to 5 ft. 2 50 Symphoricarpos paucifiors. 12 to 18 in 40 racemosus. Snowberry. 2 to 3 ft. 50 vulgaris. Coral Berry. 2 to 3 ft. 50 Syringa vulgaris. Common Lilac. 1 to 2 ft., clps. 3 to 4 ft., clumps. 75	4 00 4 00 3 00 6 00	30 00 30 00 25 00 50 00
var. alba. 1 to 1½ ft	2 00 3 00	17 50 25 00
var. alba. 1 to 1½ ft. 25 1½ to 2 ft. 40 Named varieties. 1 to 3 ft. 75 cts. to 2 00 Tamarix africana. 6 to 12 in. 75 Tilia americana. American Linden. 5 to 7 ft. 75 heterophylla. White Basswood. 4 to 6 ft. 75	2 00 6 00 6 00	
6 to 8 ft. 100 Ulmus americana. American Elm. 5 to 6 ft. 40 6 to 8 ft. 60	8 50 3 00	27 50
6 to 8 ft 60 10 to 12 ft 125 campestris. English Elm. 8 to 12 ft 2 50 Vaccinium corymbosum. High Bush Blueberry.	5 00 10 00 22 50	40 00 90 00
1 to 2 ft., "collected" clumps 75	6 00	50 00
1 to 2 ft., "collected" clumps.	12 50 30 00 45 00	100 00 250 00
hirsutum. Hairy Huckleberry. 60 pallidum. Mountain Blueberry. 1 to 2 ft. 40	3 50 5 00 3 00	27 50
pennsylvanicum. Dwarf Blueberry.	3 00	27 50
**Collected" clumps	3 00	27 50
1 to 2 ft., "collected," strong 25	3 00 1 50 6 00	12 50 50 00
1 to 2 ft	2 00	15 00 27 50
dentatum. Arrow-wood. 1 to 2 ft	4 00 1 50	12 50
2 to 3 tt	3 00 20 00	25 60
2 to 3 ft	3 00 5 00	40 00
2 to 3 ft. 20	4 00 1 50 4 00	12 50
plicatum. 2 to 3 ft	4 00 3 00 5 00 5 00	27 AP 40 00
tomentoeum. 2 to 3 ft	6 00 4 00	30 00
Weigsila in verieties 2 to 3 ft. 60 Eenthorrhiza apiliolia. Vellow Root. 6 to 12 in. 60 Lighter. 6 to 12 in. 30	6 00 4 00 5 00	50 00 30 00 40 00
Echsma ligustrina. Privet Andromeda. 1 to 2 ft 30	2 50 2 00	20.00

KELSEY'S Hardy American Plants Rhodedendrons and Azaless

Catalog of BOXFORD NURSERY

Vines and Climbing Plants

Ea	o.b.	10	100
Actinidia arguta. Silver Vine. 2 years		\$4 00	100
Akehia guinata. 3 years	50	4 00	
Ampelopsis engelmannii. Scarlet Virginia	10.47		
Creeper. Strong, 2 years	40	3 50	\$30 00
heterophylla. Asiatic Creeper. 18 to 20 in	50	4 00	
3 to 4 ft	75	6 00	
quinquefolia. Virginia Creeper. Strong	50	4 00	35 00
veitchii. Boston Ivy	50	4 00	35 00
Aristolochia sipho. Dutchman's Pipe. Strong	50	4 00	30 00
Bignonia crucigera. Cross Vine. 2 to 4 ft	30	2 00	
grandiflora. Trumpet Vine. 2 years	75	6 00	
radicans	20	1 75	17 50
Celastrus punctata. 2 to 3 ft	30	2 00 1 25	17 50
scandens. Bittersweet. Strong	20	1 25	10 00
Clematis apiifolia. Parsley-leaved Clematis.	40	3 50	30 00
Heavy	40	3 50	30 00
crisps. Purple Clematis. Strong	40	3 50	30 00
paniculata. Japanese Clematis. 2 years	40	3 50	30 00
3 years	60	5 00	45 00
virginiana. Virgin's Bower, Strong	50	4 00	35 00
Euonymus radicans. Climbing Euonymus.	017		00 00
Strong, 2 years	40	3 50	30 00
var. Broad-leaved	50	4 ()()	35 00
Hedera helix. English Ivy. 2 years	50	4 00	
Humulus lupulus. Hop Vine	1.5	1 00	8 00
Lonicera belgica. 1 to 2 ft	40	3 50	
japonica, var. halliana. Hall's Honeysuckle.			
Strong	35	3 00	25 00
sempervirens. Coral Honeysuckle. Strong	40	3 50	
Lycium europæum. Matrimony Vine. 3 years	20	1 75	15 00
chinense	20	1 75	15 00
Periploca græca. Silk Vine	35	3 00 1 75	25 00
Rosa, Crimson Rambler	25 25	1 75	15 00 15 00
Dorothy Perkins. Well branched	25	1 75	15 00
Farquhar. Well branchedLady Gay. Well branched	25	1 75	15 00
Wm. C. Egan. Well branched	25	1 75	10 00
multiflora. Japanese Climbing Rose. 1 to 2 ft	25	1 75	15 00
wichuratana. Memorial Rose	35	3 00	25 00
Rubus laciniatus. Cut-leaved Blackberry.	,	0 00	-0 00
1 to 2 ft	45	3 50	
Tecoma grandiflora. Trumpet Vine. 2 years	75	6 00	
radicans	20	1 75	
Vinca major. Larger Periwinkle	20	1 25	10 00
minor. Periwinkle	20	1 25	10 00
var. alba. White Periwinkle	25	2 00	17 50
Vitis coignetise	60	5 00	
concord. Concord Grape. Heavy	75	6 00	50 00
Wistaria chinensis alba. 6 to 12 in	50		30 00
magnifica. Strong	50		
muitijuga. Japanese Wistaria	75	6 00	
var. alba	75 75	6 00	
var. chinensis. Some extra-heavy Wistarias.	2 00		
NUMBER OF STREET	2 00		

Hardy Herbaceous Perennials

The sizes following Herbaceous Plants and Ferns indicate the size the plant may be expected to attain under cultivation.

	Each	1	0	10	(1)	1,000
Actearubra. Red Baneberry	80 30	82	()()	\$15	()()	
Anemone japonica, Queen Charlotte		2	()()	15	()()	
Whirlwind		2	00	15	00	
Armeria robusta		1	75	12	00	
Asters, in variety		1	25	10	(00)	
spectabilis, var. nenco	. 40	3	00			
Baptisia tinctoria. Yellow Indige						
Heavy clumps		2	50	1.5	00	
Bicuculla (Dicentra) eximia. Wil	d					
Bleeding Heart	. 20	- 1	50	12	00	
spectabilis. Bleeding Heart	. 35	3	00			
BRODIÆAS should be ordered in sum	mer and	in				
no event later than October 1, fo	or the cu	ir-				
rent season's shipment.						
californica			60	-1		35 00
capitata. Blue			30	2	00	15 00
coccinea. 5/8 to 1 in. diameter			60			35 00
grandiflora. Blue			30			15 00
izioides var. splendens. Very fine ye	llow		40		50	22 00
laxa. Fine; blue in umbels			30		00	15 00
peduncularis. White, Fine for wet pl			40	2	50	22 00
volubilis. Twining hyacinth, 5 to 8 in.			60		00	35 00
Calochortus albus. Pearly white			30	2	00	15 00
benthami. A charming yellow cup			30	2	00	15 00
catalina. Lilac; fine eye			1 50	8	00	
gunnisonii. Superb; white; hardy			1 25	6	00	

KELSEY'S Hardy American Plants Rhododendrons and Assless

Catalog of BOXFORD NURSERY

		-				_	
MARDY HERBACEOUS PEREN	MIA	LS	. cc	222	Ruc	d	
Calochortus IstehtHmil. White, Alpine Elacinus. Satiny Iilac	ched:	\$1 1	10 00 30 30 25 40	\$ 6	00 00 00 00 00	\$33	000 5 00 5 00 5 00
plummerse. Superb. Fine lilac. splendens type. Fine lilac. vexustus citrinus. Deep yellow. var. oculatus. White or tinted lilac. var. purpurascens. Purple. var; rossus. vesta. Finest Mariposa Tulip. Very fine b Caltha palustris. Marsh Marigold. E. Carex fraseri. Evergreen Sedge. \$0 Chelone glabra. Turtle-liead.	ach 20 20 25 20 25 15 15 30 75	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 00 25 50 00	8 4 4 4 6 6 10 12 12 12 12 10 8 10 20 50	8 00 8 00 9 00	35 15 15 35 35 45	5 00 5 00 5 00 5 00 6 00 6 00
Descatheon (Shooting Star; American Commost charming of all our early wild below are easily grown in borders whis siderable drought after blooming.	wslip) flower ere tl	. Trs.	Thes are	sub	ject	ong offe to c	the red on-
clevelandi. Tall-growing form, with pure cate pink flowers hendersoni. Another of the best species w patulum. White, pale cream-color or rare radicatum. Flowers deep rose-color Drosera rotundifolia	ith rec	d fl	owe h	rs.	10 1 00 1 00 1 00 1 50 1 00	1 \$4 4 4 8 8	00 00 00 00 00
extremely handsome in foliage and fitshould be massed in cool, moist wor streams. They are among the earlies their mottled leaves, make a very fine, locations.	e sma owers, odland et spr	ll, bu	bul t to r h	bous get oorde	best ers o	resu c ale	ong ith
albidum. Leaves not mottled. Flowers F white, yellow at base	ach		10 50	\$12	00	1,0	000
mottled white. Common throughout eastern states			50	2	00	\$16	00
mottled leaves			50	2	00	16	00
ter, ting becoming bink		1	00		00	35 35	00
giganteum. grandiflorum. Bright yellow, with unmottled leaves. hartwegii. Yellow, each flower on a		1	00	4	00	35	00
separate stalk			50	2	50	16	00
dark centerspurpurascens. Small, spreading flowers		1	00	4	00	35	00
crowded in a raceme; light yellow, becoming purplish. Smallest species.		1	00	4	00	35	00
revolutum. Pink flowers, becoming purple Fulalia gracillims	25		00		00	35	00
purpureum. Trumpet Weed	15 20	1	25 75	10 15	00		
Fritillaria biffora. Nearly black. Low:	20	1	50		50		
bell-shaped pluriflora. Very fine. Nearly purple red coccinea. Deep crimson.		1	25 25 00	6	00 00	35	00
Practise Treatily Diack-Duible			25	6	00		
Pecurva. Orange-scarlet. ¾ to 1 in. diam. 1 to 1¼ in. diam. Order Fritillarias before Oct. 1, if possible.		1	75 00	4	00	25 35	
Galax aphylla. Galax, or Coltafoot Habenaria ciliaris. Yellow Orchis. Helenium autumnale. Helenius bullata. Swamp Pink Lemerocallis, Gold Dust middendorfana. thunbergil. Esuchera sanguinea. Coral Bells.	35 15 15 20 20 20 20 20	1 1 1 1 1 1 1 1	25 00 00 25 50 50 50	8 10	00 00 00		
Heracleum japonicum. Hibiscus. Mallow Marvels. Assorted	20 75	6		10	W		
Tydrastis canadensis. Golden Seal	50 15		00	8	00		

KELSEY'S Hardy American Plants Rhododendrons and Azaless

Catalog of BOXFORD NURSERY

HARDY HERBACEOUS PEREN	INIA ach	LS, co	ntinue	1,000
Iris germanica. Mixed varieties\$6		\$1 50 1 50	\$12 50 12 50	
pseudadorus pumila	20 20	1 50 1 50		090.05
sibirica versicolor. Blue Flag	15	1 00	8 00	and the
Lacinaria pumila. Button Snakeroot pyenostachya.	20 20	1 50 1 50	12 50	
pycnostachya. spicata. Lilium auratum. Gold-banded Lily.	15	1 25	10 00	
8 to 9 in		1 50 2 00	12 00 18 00	F'F.G
bolanderi		5 00 60	40 00 5 00	\$36 00
- Ist size		1 00	7 00	60 00
canadense rubrum. 1st size candidum. Madonna Lily		1 25	18 00 10 00	80 00
earolinianum. Carolina Lily. 2d size		1 00 1 25	7 00 10 00	60 00
columbianum. 2nd size		2 00 3 50	16 00 25 00	
grayi. 2nd size		1 00	6 00 10 00	50 00 80 00
hansonii (maculatum)		7 00.	60 00	
henryi. humboldtii. 7 to 8 in		3 00	20 00	160 00
8 to 9 in 9 to 11 in		3 50 6 50	25 00 45 00	180 00
var. bloomerianumkellogii		3 50 6 50	25 00 45 00 45 00	
maritimum pardalinum. Single		6 50 1 50	45 00 12 00	
Heavy		2 00, 6 50	12 00 16 00	
parryii. Medium Large		8 00	45,00 70 00	
parvifiorumparvum. Medium		2 00 3 50	16 00 25 00	
Philadelphicum		6 50 75	45 00 6 00	50 00
roeziiirubescens		3 50 6 50	25 00 45 00	
speciosum album. 8 to 9 in		2 00 3 50	18 00	160 00
var. melpomene. 8 to 9 in		1 50	25 00 12 00	220 00 100 00
9 to 11 invar. rubrum. 8 to 9 in		2 00	16 00 12 00	140 00 100 00
9 to 11 insuperbum. Turk's-Cap Lily. 3d size		2 00	16 00 2 00	140 00 18 00
superbum. Turk's-Cap Lily. 3d size 2d size 1st size		75 1 00	5 00 8 00	30 00 60 00
tenuifolium. Siberian Coral Lily tigrinum. Tiger Lily		1 50	12 00 8 00	100 00 60 00
tigrinum n. pl. Double form		1 00	8 00 12 00	60 00
wallacel. Dwarf Species		2 50	20 00	
8 to 9 in 9 to 12 in		4 00 5 00	30 00 40 00	
Limodorum (Calopogon) pulchellus Lycopodium, in variety	20 15	1 50 1 00	12 00 8 00	
Lythrum salicaria, var. roseum Pseonies, in variety. Strong clumps	20 75	1 50 6 00	12 50 50 00	
Strong plants, with 2 or 3	25	1 75	15 00	
Papaver nudicaule	20	1 50		
Phlox decussata, in varietysubulata. Moss Pinkvar. alba. White Phlox	30 15	2 00	18 00 8 00	
Polygonatum commutatum. Solo-	15	1 00	8 00	
mon's Seal Pentederia cordata. Pickerel Weed	20 15	1 50 1 00	12 00 8 00	
Porteranthus (Gillonia) stipulatis Ranunculus repens	15 20	1 00 1 50	8 00	
Rudbeckia newmanii	20	1 50	36 00	2// 00
Sanguinaria canadensis. Bloodroot Sanguinaria is shipped entirely at	15	75	6 00	36 00
consignee's risk. Sarracenia drummondii	25	1 75	15 00	
flavapsittacina	25 25	1 75 1 75	15 00 15 00	
purpurea. Northern Pitcher Plant	20 25	1 25 1 75	10 00 15 00	
variolaris (minor)	25 25	1 75 1 75	15 00 15 00	
catesbæi. Sedum (Stonecrop), in variety	15	1 00	8 00	
lydiumspectabile	20 20	1 50 1 50	12 50 12 50	
telephium hybridum	20 20	1 50 1 25	12 50 10 00	9
arachnoideum. Single	20 20	1 25 1 25	10 00	
arenarium. Single	20 20	1 25	10 00	
fimbriatum. Single Single	20	1 25	10 00	
tectorum. Single	20 20	1 25 1 25	10 00 10 00	
violaceum. Single	20	1 25	10 00	

KELSEY'S Hardy American Plants Rhododendrons and Asaless

Catalog of BOXFORD NURSERY

HANDY HERBACEOUS PEREN	INL	LLS. co	ntione	The State of
E	ach	10	100	1.000
Shortia galacifolia. 2d size30	40	\$3 00	325 00	
1st size	75	6 00	50 00	
Solidago, in variety	15	1 25	10 00	\$90 00
Spigelia marilandica	50	4 00	30 00	440
Stenanthium robustum. Mountain				
Feather Fleece, 2nd size	20	1 50	12 50	
1st size	40	3 00	26 00	
Crillium cernuum		1 00	8 00	
erectum, Erect Wake Robin. 2nd size		40	3 00	18 00
1st size	5	75	5 00	
var. album		1 00	8 00	
grandificrum. 2nd size		30	1 50	12 00
1st size		60	3 50	20 00
mivale		1 00	8 00	
evatum		75	5 00	30 00
recurvatum		75	6 00	50 00
sessile. Snow Queen		75	6 00	50 00
var. californicum		75	6 00	50 00
var. rubrum		. 75	6 00	50 00
stylesum. Nodding Trillium.		00	4 00	20 00
2nd size		60 75	6 00	30 00 50 00
1 at size		10	0 00	90 UU
undulatum (erythrocarpum). Painted Wake Robin, 2nd size		60	4 00	30 00
1st size		75	6 00	40 00
ISG SIEC	15	1 00	8 00	20 00
Fhalictrum cornuti			0.00	
Typha latifolia. Cat-tail	15	- 0.0		00.00
Viola cornuta	15	1 00	8 00	60 00
pedata	15 25	1 00	8 00 14 00	
pedata bicolor			12 00	60
Tucca fiaccida. Clumps	50	4 00		7
glauca. Adam's Needle. Green	30	2 50		

Hardy Native Ferns

Adlantum pedatum. Maidenhair Fern. Per 10 8 to 20 in	100 \$8 50	1,000 \$75 00
Aspidium (Dryopteris) acrestichoides. Dagger		
Fern. 8 to 20 in 75	6 00	50 00
braunii. 16 to 36 in	12 50	00 00
	6 00	
cristatum. 1 to 2 ft		
Var. cumtomismum. 10 to 32 in 1 00		
Alix-mas. 12 to 44 in	12 50	
goldianum. Goldie's Fern. 24 to 40 in 1 50	12 50	
marginalis. Shield Fern. 12 to 28 in 75	6 00	50 00
munitum. Chamissos Shield Fern 2 00	17 50	
noveboracensis. New York Fern	6 00	
spinulosa. Spinulose Shield Fern 1 00	8 00	
var. dilatatum. Broad fronds 1 50	12 50	
	8 00	
Asplenium angustifolium. 3 to 4 in	10 00	
ebeneum. 9 to 18 in 1 00	8 00	
filix-foemina. Lady Fern. 16 to 40 in 1 00	8 00	
thelypteroides. Silvery Spleenwort. 2 to 3 ft 1 00	8 00	
trichomanes. Maidenhair Spleenwort. 3 to 8 in. 1 00	8 00	
Botrychium ternatum dissectum 1 00	8 00	
virginianum. Virginia Grape Fern. 1 to 2 ft 1 00	8 00	
Camptosorus rhizophyllus. Walking Fern.		
4 to 12 in 1 25	10 00	
Cheilanthes fendleri. Lip Fern 4 00		
Cystopteris bulbifera. Bladder Fern. 1 to 2 ft 75	6 00	
	8 00	
	0 00	
Dicksonia punctilobula. Hay-scented Fern.		
20 to 40 in 1 00	8 00	60 00
Lygodium palmatum. Climbing Fern. 1 to 3 ft 1 50	12 50	
Onoclea sensibilis. Sensitive Fern. 4 to 12 in 1 00	8 00	60 00
struthiopteris. 2 to 10 ft	8 00	
Ophioglossum vulgatum. 2 to 42 in 1 00	8 00	
Osmunda cinnamomea. Cinnamon Fern.	0 00	
	12 00	100 00
	12 00	
		100 00
gracilis. 2 to 6 in	8 00	
regalis. Royal Fern. 12 to 63 in 1 50	12 00	
Pellesa atropurpurea. Purple-stemmed Cliff Brake		17.00
4 to 24 in 1 50	12 00	
densa 1 00	8 00	
gracilis. Siender Cliff Brake. 2 to 6 in 1 50	12 00	
Phegopteris dryopteris. Oak Fern. 6 to 10 in 1 00	8 00	
hexagonoptera. Broad Beech Fern. 7 to 12 in 1 00	8 00	
polypodioides, 4 to 8 in	8 00	
	10 00	
		45 00
vulgare. Polypody. 3 to 6 in	6 00	45 00
Fteris adullina. Common Brake. 4 to 30 in 75	5 00	30 00
Scolopendrium vulgare 3 00	20 00	
Woodsia ilvensis. Rusty Woodsia 1 00	8 00	
obtusa. Blunt-lobed Woodsia. 8 to 20 in 1 00	8 00	
Woodwardia angustifolia	12 50	
virginica. Virginia Chain Fern. 24 to 64 in 1 (10)	8.00	
AssBrusana i irBrura Arterir Letin as an as interest y in	000	
10		



blooming in September. Finef or cut-flowers.



The Deadings Stenantisiam robustum at trigitalists wifeely. It seems difficult to establish this remarkable plant in the North and West. At Topsfield, Mass., it is thriving in open sun on the "mucky" border of a pond.



notes interi, or river's paisant, as a windoreax or screen at Highlands Nursery. This splendid Evergreen is a revelation to those who have found out its great superiority to the Abies balsamea.

Catalog of BOXFORD NURSERY



Abies fraseri

"And to paint these home pictures we need chiefly American material. We must face this deadly parallel:"

What We Really Plant

70% European trees and shrubs and horticultural varieties.

20% Chinese and Japanese.

10% American.

What We Ought to Plant

70% American trees and shrubs, i. e., native to America.

20% Chinese and Japanese.

10% European and horticultural.

Wilhelm Miller in "What England Can Teach
Us About Gardening"

HARLAN P. KELSEY, Owner

SALEM, MASS.